

**BID NOTICE
TOWN OF EAGLE POINT
CHIPPEWA COUNTY**

The Town of Eagle Point will be accepting sealed bids for the following road re-paving projects and gravel supply for 2021.

HOT MIX ASPHALT PAVING

155th Avenue (.88 miles), 175th Avenue (.86 miles), and 120th Avenue (0.1 miles):

Work on these projects includes HMA paving only. Contractor to provide fine grading and watering and compaction of base coarse prior to paving, if required. Pave with 2.5 inches compacted thickness of 4LT 58-28S hot mix asphalt in a single layer to a width of 21 feet. The use of two pavers to eliminate centerline joint is preferred. Include two-foot wing outs at existing driveways and mailboxes. Provide a minimum of a 2% crown in the finished HMA surface. The Town will provide saw-cuts where new paving connects with existing pavement. Contractor is responsible for traffic control during the project. Bid to include price per ton, estimated total number of tons, and total price to complete each project. Contract will be awarded on price per ton.

All paving projects to be completed by August 1, 2021.

93rd Avenue (1.42 miles):

Work on this project includes removing and stockpiling existing shoulder material, pulverizing existing road surface, removing excess pulverized material, finish grading, paving and shouldering.

Existing shoulder removal: Remove material two feet wide by four inches deep along the entire length of both sides of the project. Haul existing shoulder to 8115 140th Street, Chippewa Falls, WI. See site location shown on attached Eagle Point – Lower Part map. Provide lump sum amount for shoulder removal.

Pulverizing, fine grading and paving: Pulverize the existing asphaltic pavement to a depth of 6 inches. Grade pulverized material to the proposed pavement width plus two-foot shoulders on each side of the road. Remove approximately 2.5 inches by the width of the pavement and shoulders ensuring minimal vertical elevation change and matching the new pavement to existing driveways. Provide fine grading including the shoulders. The Town will provide saw-cuts where new paving connects with existing pavement. Remove two feet at asphalt driveways and shape to meet new HMA surface. No removal of concrete driveways is included in this project. Fine grade to a 2% crown and to provide a new HMA surface match at existing driveways. Pave with 2.5 inches compacted thickness of 4LT 58-28S hot mix asphalt in a single layer to a width of 21 (twenty-one) feet. The use of two pavers to eliminate centerline joint is preferred. Include two-foot wing outs at existing asphalt driveways and mailboxes. Bid to include pulverizing, fine grading and paving based on price per ton. Include estimated total number of tons, and total price to complete project. Contract will be awarded with combination of shoulder removal, pulverizing, fine grading, paving and shouldering.

Excess pulverized material: Contractor to remove and take possession of excess pulverized material and provide a monetary credit to the town for volume retained based on unit price per cubic yard.

Shouldering: Supply and place 3/4" crushed aggregate base for finished shoulders to a compacted depth of 2.5 inches. Gravel shall meet WI DOT specifications for 3/4 inch crushed gravel basecourse.

Contractor is responsible for traffic control during the project.

This project to be completed within six weeks of the start date and be completed by August 1, 2021.

Property owners will be responsible for removal their mailboxes prior to the start of the project and re-installation at project's end. The Town will install ganged mailboxes at one or both ends of 93rd Avenue for the interim of the project.

Pre-Bid Road Inspections

Bidders are responsible for confirming dimensions and existing conditions of roads to be paved. For more information, contact Jesse Zwiefelhofer, Town Road Crew Lead, at (715) 828-2487.

Gravel Supply and Delivery

The town will pick up gravel (base coarse) at the pit or hire the supplier to supply and deliver at any location in the town. Provide price **per ton** to supply and to supply/deliver 1-1/4" (one and a quarter inch) aggregate and 3/4" (three quarter inch) aggregate gravel.

The gravel supplied under this contract is that which is required for projects completed by the town's own forces and does not include contracted major road projects bid as a package where the gravel supply is a component of that project.

Prior to award of contract, successful bidder is to include certification that the gravel meets WI DOT specifications for 3/4 inch and 1-1/4 inch crushed gravel basecourse.

Bid Documents

Bids are to be signed and must be submitted on a Town of Eagle Point Bid Form which is available from Laurie Hebert, Town Clerk, 14802 State Highway 124, Chippewa Falls, WI 54729 or by email at townofeaglepoint@gmail.com. Bids must be submitted to the Eagle Point Town Hall by 10:00 AM on Thursday, March 11, 2021 at which time they will be opened and read aloud. Awarding of bids will be acted upon at the March 15, 2021 Town Board Meeting which will be held at 7:00 PM. Prior to contract award, the successful bidder must provide a Certificate of Insurance

The Town of Eagle Point reserves the right to waive irregularities and accept or reject any and all bids.

Laurie Hebert, Clerk
Town of Eagle Point
14082 State Highway 124
Chippewa Falls, WI 54729
