

**BID NOTICE ROADWORK  
TOWN OF EAGLE POINT  
CHIPPEWA COUNTY**  
Publish May 6, and May 13, 2025

The Town of Eagle Point will be accepting sealed bids for roadwork and materials for 2025

The Town of Eagle Point is soliciting bids for the following 2025 road projects. Chip Sealing, Crack Filling, Paving, Pulverizing, and the Supply and Delivery of Gravel.

Interested bidders can obtain copies of the projects/application by contacting Laurie Hebert, Town Clerk, at 715-288-6770, by email: [townofeaglepoint@gmail.com](mailto:townofeaglepoint@gmail.com) or Chuck Hebert, Chairman by email: [chairman@townofeaglepoint.wi.gov](mailto:chairman@townofeaglepoint.wi.gov) or contacting Jesse Zwiefelhofer, Lead Road Crew at 715-828-2487

Bids will be received, opened, and may be awarded on Monday 19, 2025 7:00 pm at the Eagle Point Town Hall.

Laurie Hebert, Clerk  
Town of Eagle Point  
14082 State Highway 124  
Chippewa Falls, WI 54729



## BID FORM 2025

### **PULVERIZING TOWN OF EAGLE POINT Chippewa County**

#### PULVERIZING

The Town of Eagle Point will be accepting proposals for pulverizing of:  
159<sup>th</sup> St. from 110<sup>th</sup> St. to white spray paint marking end.

156<sup>th</sup> Ave. from Hwy 178 to end.

140<sup>th</sup> Ave. from Hwy 124 to 147<sup>th</sup> St.

147<sup>th</sup> St. to End.

Full pavement width. Grading of pulverized material to be completed by the town.

#### Bid Documents

Bids are to be signed and must be submitted on the correct bid form. Bids must be submitted and received by the Eagle Point Town Clerk no later than 7:00 PM on Monday May 19, 2025. Bids will be opened, read aloud, and may be awarded at this meeting. Prior to contract award, the successful bidder must provide a Certificate of Insurance.

- I. DESCRIPTION:  
This bid form is for work to complete Pulverizing projects
- II. BID TO:
  - A. Provide a **sealed** bid marked as follows:  
**Pulverizing 159<sup>th</sup> St., 156<sup>th</sup> Ave., 140<sup>th</sup> Ave., 147<sup>th</sup> St.**  
Town of Eagle Point  
14802 State Highway 124  
Chippewa Falls, WI 54729
- III. BID DUE DATE & TIME:
  - A. Monday May 19, 2025 at 7:00 pm at the Eagle Point Town Hall
- IV. ACKNOWLEDGEMENTS:
  - A. If bid is accepted, undersigned bidder agrees to enter into an agreement with the Town of Eagle Point to provide and perform the work as described in Bid form.
  - B. Town of Eagle Point has the right to waive irregularities and accept or reject bids.
  - C. Bidder agrees to notify Town of Eagle Point 48 hours prior to the start of work.
  - D. Prior to contract award, the successful bidder must provide a certificate of insurance.

V. BIDDING PRICES – PULVERIZING

156<sup>th</sup> St. \_\_\_\_\_

156<sup>th</sup> Ave. \_\_\_\_\_

140<sup>th</sup> Ave. \_\_\_\_\_

147<sup>th</sup> St. \_\_\_\_\_

VI. Additional Information

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

VII. Bidder Information and signature

A. Submitted on \_\_\_\_\_, 2025

B. Company Name:

\_\_\_\_\_

C. Authorized Signature:

\_\_\_\_\_

D. Company Address:

\_\_\_\_\_

E. Phone Number:

\_\_\_\_\_

F. E-mail Address:

\_\_\_\_\_

**BID FORM 2025**

**ROAD PAVING & SHOULDERING PROJECTS  
TOWN OF EAGLE POINT  
Chippewa County**

**159<sup>th</sup> St. to end Street Hot Mix Asphalt Paving and Shouldering**

From 110<sup>th</sup> St. to white spray paint markings.

This project consists of paving approximately .15 miles of roadway with 2.5 inches of hot mix asphalt, which includes the turn-a-around to the white paint marking end. Installation of gravel shoulders is also included in the project. It is the town's intent to award both the paving and shouldering to a single paving contractor.

**156<sup>th</sup> St. to end Street Hot Mix Asphalt Paving and Shouldering**

From Hwy 178 to End.

This project consists of paving approximately .22 miles of roadway with 2.5 inches of hot mix asphalt, which includes the T-Turn. Installation of gravel shoulders is also included in the project. It is the town's intent to award both the paving and shouldering to a single paving contractor.

**2.5 inches Street Hot Mix Asphalt Requirements**

Contractor to provide fine grading and watering and compaction of base coarse prior to paving, if required. Pave with 2.5 inches compacted thickness of 4LT 58-28S hot mix asphalt in a single layer to a width of 21 feet. The use of two pavers to eliminate a centerline joint is preferred.

**Requirements for all paving bids**

Contractor to include two-foot wing outs at existing driveways and mailboxes. Provide a minimum of a 2% crown in the finished HMA surface. The Town will provide saw-cuts where new paving connects with existing pavement. Contractor is responsible for traffic control during the project. Bid to include price per ton, estimated total number of tons, and total price to complete each project. Contract will be awarded on price per ton.

**Shouldering Base Bid Requirements**

Supply and place 3/4 inch crushed aggregate base for finished shoulders to a width of two feet and a compacted depth of 2.5 inches.

The shouldering contract will be awarded on price per ton. For Shouldering, gravel shall meet WI DOT specifications for 3/4-inch crushed gravel base course.

Upon completion of shouldering work, contractor shall clean paved surface of all loose gravel resulting from the shouldering process.

**Completion Date**

All paving and shouldering work is to be fully completed by September 30, 2025

**Pre-Bid Road Inspections**

Bidders are responsible for confirming dimensions and existing conditions of roads included in the bid form. Pulverizing completed minimum of three weeks prior to paving. For more information, contact Jesse Zwiefelhofer, Town Road Crew Lead, at (715) 828-2487.

**Bid Documents**

Bids are to be signed and must be submitted on the correct bid form. Bids must be submitted and received by the Eagle Point Town Clerk no later than 7:00 PM on Monday May 19, 2025. Bids will be opened, read aloud, and may be awarded at this meeting. Prior to contract award, the successful bidder must provide a Certificate of Insurance.

I. DESCRIPTION:  
This bid form is for work to complete paving and shouldering of 159<sup>th</sup> St. and 156<sup>th</sup> Ave.

II. BID TO:  
A. Provide a **sealed** bid marked as follows:  
**159<sup>th</sup> St. 156<sup>th</sup> Ave.**  
Town of Eagle Point  
14802 State Highway 124 Chippewa Falls, WI  
54729

III. BID DUE DATE & TIME:  
A. May 19, 2025 at 7:00 pm at the Eagle Point Town Hall

IV. ACKNOWLEDGEMENTS:  
a. If bid is accepted, undersigned bidder agrees to enter into an agreement with the Town of Eagle Point to provide and perform the work as described in the bid form.  
b. Town of Eagle Point has the right to waive irregularities and accept or reject bids.  
c. Bidder agrees to notify Town of Eagle Point 48 hours prior to the start of work.  
d. Prior to contract award, the successful bidder must provide a Certificate of Insurance.

V. BID PRICES:  
**A. Paving Base Bid (2.5" HMA)**

	<b>159<sup>th</sup> Ave.</b>	<b>156<sup>th</sup> St.</b>
1. Distance to be paved	_____	_____
2. Approximate tons	_____	_____
3. Price per ton	_____	_____
4. Total Cost	_____	_____

**B. Shouldering Base Bid (2.5 depth)**

1. Approximate tons	_____	_____
2. Price per ton	_____	_____
Total Cost	_____	_____

VI. Additional Information  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

VII. Bidder Information and signature  
A. Submitted on \_\_\_\_\_, 2025  
B. Company Name: \_\_\_\_\_  
C. Authorized Signature: \_\_\_\_\_  
D. Printed Name: \_\_\_\_\_  
E. Company Address: \_\_\_\_\_  
F. Phone Number: \_\_\_\_\_  
G. E-mail Address: \_\_\_\_\_

**BID FORM 2025**

**Crack Filling  
TOWN OF EAGLE POINT  
CHIPPEWA COUNTY**

The Town of Eagle Point will be accepting sealed bids for crack-filling projects. Refer to attached maps for locations of all roads included on this form.

The work shall consist of furnishing all materials, equipment and labor for cleaning and sealing of transverse and longitudinal joints in asphalt pavement unless otherwise noted.

Route cracks to a minimum of 3/4 x 3/4 inch ratio width versus depth. Blow and clean cracks with compressed air and heat lance. Seal crack with poly fiber crack sealant which exceeds ASTM-6690 TYPE II sealant. One inch overband on all cracks. Repair all failed or open cracks previously filled.

For **wider and cupped cracks (cupped depth greater than 1/2" and width greater than 3")**, blow out and clean cracks with compressed air and heat lance. Flood area with poly-fiber material meeting ASTM-6690 and cover immediately with 1/8" coated aggregate. For wider and cupped cracks, blow out and clean cracks with compressed air and heat lance. Flood area with poly-fiber material meeting ASTM-6690 and cover immediately with either uncoated or coated 1/8" washed chips, fractured pea gravel not-to-exceed 3/8" or similar material. Aggregate to be applied to entire flooded area by covering fully and embedding with a roller or using compressed air to inject material into the asphalt material.

Traffic control shall be provided by the contractor to maintain safety and allow access to property during construction. Contractor shall provide all flagging.

**Pre-Bid Road Inspections**

Bidders are responsible for confirming dimensions and existing conditions of roads included in the Ad for Bid. For more information, contact Jesse Zwiefelhofer, Town Road Crew Lead, at (715) 828-2487.

**Crack-Filling (CF)**

CF-1	101 <sup>st</sup> Ave. from Hwy 178 to 152 <sup>nd</sup> St. 151 <sup>st</sup> from 101 <sup>st</sup> Ave. to End 152 <sup>nd</sup> St. from 151 <sup>st</sup> St. to End	.6
CF-2	151 <sup>st</sup> St. from 100 <sup>th</sup> Ave. to End	.16
CF-3	152 <sup>nd</sup> St. from Hwy 178 to Hwy 178 151 <sup>st</sup> St. from 152 <sup>nd</sup> St. to 152 <sup>nd</sup> St.	.56
CF-4	93 <sup>rd</sup> Ave. from Hwy 178 Count Hwy S.	1.42
CF-5	185 <sup>th</sup> St. from start of new pavement to 165 <sup>th</sup> Ave. 165 <sup>th</sup> Ave. from 185 <sup>th</sup> St. to 200 <sup>th</sup> St.	2.64
CF-6	187 <sup>th</sup> St. from 132 <sup>nd</sup> Ave. loop	.7
CF-7	83 <sup>rd</sup> Ave. from 160 <sup>th</sup> St. to 163 <sup>rd</sup> St. 161 <sup>st</sup> St. from 83 <sup>rd</sup> Ave. to End 162 <sup>nd</sup> St. from 83 <sup>rd</sup> Ave. to End 163 <sup>rd</sup> St. End to End	.76
CF-8	80 <sup>th</sup> Ave. from 160 <sup>th</sup> St. to End 81 <sup>st</sup> Ave. from 80 <sup>th</sup> Ave. to End	.24

**Bid Documents**

Bids are to be signed and must be submitted on the correct bid form. Bids must be submitted and received by the Eagle Point Town Clerk no later than 7:00 PM on Monday May 19, 2025. Bids will be opened, read aloud,

and may be awarded at this meeting. Prior to contract award, the successful bidder must provide a Certificate of Insurance.

I. DESCRIPTION:

This bid form is for work to complete Crack filling projects.

II. BID TO:

A. Provide a **sealed** bid marked as follows:

**Crack filling**

Town of Eagle Point  
14802 State Highway 124  
Chippewa Falls, WI 54729

III. BID DUE DATE & TIME:

A. Monday May 19, 2025 at 7:00 pm at the Eagle Point Town Hall

IV. ACKNOWLEDGEMENTS:

- A. If bid is accepted, undersigned bidder agrees to enter into an agreement with the Town of Eagle Point to provide and perform the work as described in Bid form.
- B. Town of Eagle Point has the right to waive irregularities and accept or reject bids.
- C. Bidder agrees to notify Town of Eagle Point 48 hours prior to the start of work.
- D. Prior to contract award, the successful bidder must provide a certificate of insurance.

V. Additional Information

---

---

---

---

VI. Bidder Information and signature

VII.

A. Submitted on \_\_\_\_\_, 2025

B. Company Name: \_\_\_\_\_

C. Authorized Signature: \_\_\_\_\_

D. Company Address: \_\_\_\_\_

E. Phone Number: \_\_\_\_\_

F. E-mail Address: \_\_\_\_\_



## BID FORM 2025

### **Chip Sealing TOWN OF EAGLE POINT Chippewa County**

#### **Chip Sealing**

Chip-sealing work shall consist of supplying and placement of a single application of oil liquid asphalt seal coat with cover aggregate to the pavement surface. Immediately prior to applying the asphalt material, the existing surface shall be thoroughly cleaned of all loose material, dust, salt, vegetation and other objectionable material. Particular care shall be taken to thoroughly clean the outer pavement edges, ruts, dips and intersections. Pavement and air temperature shall be 60° F or higher. Relative humidity shall be less than 75%. Chip-seal materials shall not be placed during rain or fog or, if rain or is expected, before set time.

Following the application of the hot oil or emulsified liquid asphalt: **Contractor can provide price on both for bidding be sure to indicate on form what oil the bid is for**, a cover aggregate consisting of dark granite chips (no substitutions allowed,) of 3/8" minus fractured chips shall be applied uniformly over the asphalt material. The aggregate shall be immediately rolled with pneumatic tire rollers until thoroughly embedded in the asphalt material.

Contractor is also responsible for vacuuming excess chips where necessary as deemed by the town.

Traffic control shall be provided by the contractor to maintain safety, minimize distress to the fresh asphalt seal coat and allow access to property during construction and curing. Contractor shall provide all flagging.

#### **Pre-Bid Road Inspections**

Bidders are responsible for confirming dimensions and existing conditions of roads included in the bid form. For more information, contact Jesse Zwiefelhofer, Town Road Crew Lead, at (715) 828-2487.

#### **Bid Documents**

Bids are to be signed and must be submitted on the correct bid form. Bids must be submitted and received by the Eagle Point Town Clerk no later than 7:00 PM on Monday May 19, 2025. Bids will be opened, read aloud, and may be awarded at this meeting. Prior to contract award, the successful bidder must provide a Certificate of Insurance.

- I. DESCRIPTION:  
This bid form is for work to complete Chip Sealing projects.
  
- II. BID TO:
  - A. Provide a **sealed** bid marked as follows:  
**Chip Sealing**  
Town of Eagle Point  
14802 State Highway 124  
Chippewa Falls, WI 54729

III. BID DUE DATE & TIME:

A. Monday May 19, 2025 at 7:00 pm at the Eagle Point Town Hall

IV. ACKNOWLEDGEMENTS:

- A. If bid is accepted, undersigned bidder agrees to enter into an agreement with the Town of Eagle Point to provide and perform the work as described in Bid form.
- B. Town of Eagle Point has the right to waive irregularities and accept or reject bids.
- C. Bidder agrees to notify Town of Eagle Point 48 hours prior to the start of work.
- D. Prior to contract award, the successful bidder must provide a certificate of insurance.
- E. Work must be completed by July 31, 2025.

V. BIDDING PRICES

Road	Road Name	Miles	Emulsified Oil Bid Amount	Hot Oil Bid Amount
CS-1	105 <sup>th</sup> Ave. from Hwy 178 to Hwy 124	1.6		
CS-2	147 <sup>th</sup> St. from 105 <sup>th</sup> Ave. to End sweep/vac	.21		
CS-3	106 <sup>th</sup> Ave. from 147 <sup>th</sup> St. to End sweep/vac	.06		
CS-4	137 <sup>th</sup> St. from 95 <sup>th</sup> Ave. to 96 <sup>th</sup> Ave. 96 <sup>th</sup> Ave. from 137 <sup>th</sup> St. to 136 <sup>th</sup> St. 136 <sup>th</sup> St. from 96 <sup>th</sup> Ave. to 95 <sup>th</sup> Ave. sweep/vac	.32		
CS-5	165 <sup>th</sup> Ave. from 200 <sup>th</sup> St. to Hwy 178	.75		
CS-6	Bridge Deck 140 <sup>th</sup> St.			
CS-7	Bridge Deck 135 <sup>th</sup> Ave.			
CS-8	Bridge Deck 145 <sup>th</sup> St.			

VI. Additional Information

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

VII. Bidder Information and signature

VIII.

- A. Submitted on \_\_\_\_\_, 2025
- B. Company Name: \_\_\_\_\_
- C. Authorized Signature:  
\_\_\_\_\_
- D. Company Address:  
\_\_\_\_\_
- E. Phone Number: \_\_\_\_\_
- F. E-mail Address: \_\_\_\_\_

**BID FORM 2025**

**GRAVEL SUPPLY/DELIVERY  
TOWN OF EAGLE POINT  
Chippewa County**

**GRAVEL SUPPLY AND DELIVERY**

The town will pick up gravel (base coarse) at the pit or hire the supplier to supply and deliver at any location in the town. Provide price **per ton** to supply and to supply/deliver 1-1/4" (one and a quarter inch) aggregate and 3/4" (three quarter inch) aggregate gravel.

The gravel supplied under this contract is that which is required for projects completed by the town's own forces and does not include contracted major road projects bid as a package where the gravel supply is a component of that project.

Prior to award of contract, successful bidder is to include certification that the gravel meets WI DOT specifications for 3/4 inch and 1-1/4-inch crushed gravel basecourse.

**Bid Documents**

Bids are to be signed and must be submitted on the correct bid form. Bids must be submitted and received by the Eagle Point Town Clerk no later than 7:00 PM on Monday May 19, 2025. Bids will be opened, read aloud, and may be awarded at this meeting. Prior to contract award, the successful bidder must provide a Certificate of Insurance.

- I. **DESCRIPTION:**  
This bid form is for work for supply/delivery of gravel.
  
- II. **BID TO:**
  - A. Provide a **sealed** bid marked as follows:  
Gravel Supply/Delivery Bid  
Town of Eagle Point  
14802 State Highway 124  
Chippewa Falls, WI 54729
  
- III. **BID DUE DATE & TIME:**
  - A. Monday May 19, 2025, at 7:00 pm at the Eagle Point Town Hall
  
- IV. **ACKNOWLEDGEMENTS:**
  - a. If bid is accepted, undersigned bidder agrees to enter into an agreement with the Town of Eagle Point to provide and perform the work as described in Bid form.
  - b. Town of Eagle Point has the right to waive irregularities and accept or reject bids.
  - c. Prior to contract award, the successful bidder must provide a Certificate of Insurance.

V. BIDDING PRICES – GRAVEL SUPPLY & DELIVERY

A. Price per ton to supply 1-1/4" aggregate gravel \_\_\_\_\_

B. Price per ton to supply 3/4" aggregate gravel \_\_\_\_\_

C. Price to supply/deliver 1-1/4" aggregate gravel \_\_\_\_\_

D. Price to supply/deliver 3/4" aggregate gravel \_\_\_\_\_

VI. Additional Information

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

VII. Bidder Information and signature

A. Submitted on \_\_\_\_\_, 2025.

B. Company Name: \_\_\_\_\_

C. Authorized Signature:  
\_\_\_\_\_

D. Company Address:  
\_\_\_\_\_

E. Phone Number: \_\_\_\_\_

F. E-mail Address:  
\_\_\_\_\_

















